



RadioSecure™

Seal. Track. Trace.





RadioSecure™ Master



RadioSecure™ SLM

The RadioSecure SLM is the base member of the RadioSecure range of products with wireless connectivity to the SLA, SLE, SLL and SLS. RadioSecure SLM periodically reports security and environmental status via GSM infrastructure to a hosted web base supply chain security and location visibility system.

In the event of unauthorized unsealing or violation of any preset parameters, RadioSecure SLM will switch to event reporting without any time lag.



RadioSecure™ SLM-x

The RadioSecure SLM-x is also the base member of the RadioSecure range of products and behaves exactly as the RadioSecure SLM. The advantage of RadioSecure SLM-x is that it has an extra large battery pack and hence the longer battery lifespan.

The RadioSecure SLM-x also has wireless connectivity to the SLA, SLE, SLL and SLS and periodically reports security and environmental status via GSM infrastructure.



RadioSecure™ SLM-i

The RadioSecure SLM-i is our latest innovation using satellite communication on areas where there is no GSM coverage.

RadioSecure SLM-i is also the base member of the RadioSecure range and has all the features of SLM-x with the extra feature of GSM failover. It also has wireless connectivity to the SLA, SLE, SLL and SLS and periodically reports security and environmental status to a hosted web base supply chain security.



The RadioSecure™ IVM is beyond a standard GPS/GSM Freight Management tracker. The RF, GSM and GPS antennas are integrated and RF tuned to the specific casing to mitigate tampering. Any attempt to remove the front or back cover of the RadioSecure IVM will trigger an instantaneous alert. Easy installation and IP57 compliant.

+ RadioSecure™ Slave

RadioSecure SLA is a creative innovation for tracking conveyances and assets using active RFID, GPRS and GPS technology. The RadioSecure SLA provides security tampering sensor more than a simplistic inspection system, the RadioSecure SLA enables shippers, manufacturers, and logistics service providers as well as asset owners to actively monitor the security and integrity of shipments or asset as their goods move through the supply chain.



RadioSecure™ SLA

The RadioSecure SLA is a family member of the RadioSecure range of products with wireless connectivity to the IVM or SLM. RadioSecure SLA periodically reports security status wirelessly to the RadioSecure SLM or RadioSecure IVM which will report via GSM infrastructure to a hosted web base supply chain security and visibility system. In the event of unauthorized unsealing or tampering of the RadioSecure SLA, it will cause the Master to event heartbeat without any time lag.



RadioSecure™ SLL

The RadioSecure SLL is a creative innovation that provide real-time lighting sensing. It is ideal for security tracking if tampering of container occurs without triggering the Master. In the event of unauthorized unsealing or tampering of the RadioSecure SLA, it will cause the Master to event heartbeat without any time lag.



RadioSecure™ SLE

The RadioSecure SLE couples with RadioSecure SLM or RadioSecure IVM to provide real-time security, temperature and humidity sensing. RadioSecure SLE is ideal for security and environmental tracking of sensitive and perishable goods such as medical supplies, food and chemical. It enables shippers, manufacturers, and logistics service providers and asset owners to actively monitor the security and quality integrity of shipments or asset as their goods move through the supply chain and to take appropriate corrective measures should violation occurs.



RadioSecure™ SLS

The RadioSecure SLS is a family member of the RadioSecure range of products with wireless connectivity to the IVM or SLM. RadioSecure SLS behaves exactly like RadioSecure SLA but has a bigger battery pack and has an adjustable cable length which enables it to seal most asset. In the event of unauthorized unsealing or tampering of the RadioSecure SLA, it will cause the Master to event heartbeat without any time lag.



ENVOTECH NETWORK SDN BHD (657306-W)

25, Jalan Kilang 2,
Kawasan Perindustrian Jelapang (Taman Pertama),
30100 Jelapang, Ipoh, Perak, Malaysia
Tel: +605 5278287 / 9287 , Fax: +605 5261287
Email: info@envotech.com.my